SECTION 1	MATERIAL NAME / IDENTIFIER
PH Up	WHMIS: D2B
Manufacturer's Name: Street Address: City: Postal Code:	CAPO INDUSTRIES LTD 1200 CORPORATE DRIVE BURLINGTON, ONTARIO L7L 5R6
Emergency Telephone:	Canutec (613) 996-6666 (Collect)
Chemical Name:	Sodium Carbonate
Chemical Family:	Sodium Salt
Chemical Formula:	Na2 CO3
Trade Name & Synonyms:	Soda Ash
Molecular Weight:	Not applicable
Material Use:	Pool chemical to boost pH
SECTION 2	HAZARDS IDENTIFICATION
GHS classification:	Skin corrosion/irritation, Category 2
	Serious eye damage/eye irritation, Category 2A
Symbol(s)	
Signal Word	Warning
Hazard statements	H315 Causes skin irritation.
	H319 Causes serious eye irritation.
Precautionary statements	P264 Wash hands thoroughly after handling. P280 Wear protective clothes/protective clothing/eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.P337+P313 If eye irritation persists: Get medical advice/attention.P362+P364 Take off all contaminated clothing and wash it before reuse.

SECTION 3	SECTION 3 COMPOSITION, INFORMATION ON INGREDIENTS					
Ingredient		CAS#	% Concentration			
Sodium Carbo	nate	497-19-8	60 - 100			
SECTION 4		FIRST AID MEASURES				
Inhalation:	Remove person to fresh air. Obtain medical attention. Administer artificial respiration or CPR as required.					
Skin Contact:	Wash thoroughly with soap and water.					
Eye Contact:	Flush eyes with plenty of water for 15 minutes. Seek medical attention.					
Ingestion:	Drink 2 or 3 glasses of milk. Contact a physician immediately.					
Note to physici	ans Treat symptomati	cally. Medical conditions the	at may be aggravated by exposure to this product			
	include diseases	of the skin, eyes and respira	atory tract.			

Hazardous Combustion Products:	None in normal use.
Unusual Fire or Explosion Hazards:	None
Sensitivity to Mechanical Impact:	None
Rate of Burning:	None
Explosive Power:	None
Sensitivity to Static Discharge:	None
Fire Extinguishing Media:	Carbon dioxide, dry chemical, alcohol foam, water fog, dry sand
Instructions to the Fire Fighters:	Isolate materials that are not involved in the fire and protect personnel. Use water
	spray to cool fire exposed containers or structures. Use water to disperse
	vapours. Spilled material may cause floors and contact surfaces to become
	slippery.
Fire Fighting Protective Equipment:	Use self-contained breathing apparatus and protective clothing.

**FIRE – FIGHTING MEASURES** 

**SECTION 5** 

SECTION 6	ACCIDENTAL RELEASE MEASURES
Leak And Spill Procedure:	Neutralize with a weak acid to a pH of 6 to 9. Sweep up material and place in a
·	labeled container for disposal.
SECTION 7	HANDLING AND STORAGE
HANDLING	
Handling Practices:	Use normal industrial hygiene and housekeeping practices. In the presence of
U	moisture, soda ash and lime dusts combine to form corrosive caustic soda which
	may cause burns.
Ventilation Requirements:	Use in a well ventilated area.
Other Precautions:	Avoid breathing dusts. Avoid contact with eyes, skin or clothing. Wash thoroughly
	with soap and water after handling. Wash contaminated clothing before reuse.
STORAGE	
Ventilation Requirements:	Ventilation should be corrosion proof. Store in a cool, dry area.
Storage Requirements:	Keep away from heat, sparks or flames. Keep containers closed. Avoid moisture
	contamination. Prolonged storage may result in lumping or caking. Product should
	not be stored in aluminum, lead or tin. Attacks some types of rubber, plastics and
	coatings. Confirm suitability of any packaging before using.
SECTION 8	EXPOSURE CONTROLS/PERSONAL PROTECTION
ENGINEERING CONTROLS	
Engineering Controls:	Local exhaust ventilation. Ventilation should be corrosion and explosion proof.
	Make up air should be supplied to balance air that is removed by local exhaust ventilation.
PERSONAL PROTECTIVE EQU	IPMENT
Skin (Specify):	Latex or rubber gloves if skin contact is likely.
Eye (Specify):	Safety glasses/goggles if eye contact is likely.
Respiratory (Specify):	Wear dust mask if prolonged use in a non-ventilated area is unavoidable.
Other (Specify):	Wear protective clothing if contact is likely. Eye wash stations are close to work
	area.

### SECTION 9

### PHYSICAL DATA FOR MATERIAL

Physical State:	Gas	Liquid			Solid	<u>X</u>
Odour & Appearance:	White granular	solid, odou	urless			
Odour Threshold (ppm):	Not applicable					
Flammability:	Yes		No	<u>X</u>		
If Yes, Under Which Conditions?:						
Auto Ignition Temperature (Celsius):	Not applicable	9				
Upper Explosion Limit (% By Volume): Not applicable						
Lower Explosion Limit (% By Volume	): Not applicable	e				
Decomposition Temp (°C)	400°C					
Specific Gravity:	2.532					
Viscosity:	Not applicable	9				
Vapour Pressure (mm):	Not applicable	e				
Vapour Density (Air-1):	Not applicable	•				
Flashpoint (°C)	Not applicable					
Evaporation Rate	Not applicable					
Boiling Point (°C):	Not applicable					
Freezing Point (°C):	Not applicable					
Solubility In Water (20°C):	17.5% by weig	lht				
% Volatile (By Weight)	Not applicable					
PH:	11.3 (1% solut	ion)				
Coefficient Of Water/Oil Distribution:	Not applicable					

SECTION 10	STABILITY AND REACTIVITY			
Chemical Stability:	Yes	<u>x</u>	No	
If No, Under Which Conditions?:				
Incompatibility To Other Substances:	Yes	<u>X</u>	Νο	
If So, Which Ones:	Acids, lime dust, heat.			
Conditions to Avoid:	May react with acids causing carbon dioxide evolution and severe			
	splatterir	splattering. Contact with lime dust in the presence of moisture can		
	produce	produce sodium hydroxide.		
Hazardous Decomposition Products:	Carbon o	Carbon dioxide when burned.		

### **SECTION 11**

### **TOXICOLOGICAL INFORMATION**

#### **ACUTE HEALTH EFFECTS**

Inhalation:	Dust may cause irritation to throat and nose, and respiratory tract.				
Skin Contact:	Skin contact may cause irritation.				
Eye Contact:	Eye contact may cause irritation and burns.				
Ingestion:	Severe gastrointestinal irritation, nausea, vomiting and diarrhea.				
CHRONIC HEALTH EF	FECTS: May lead to irritation and/or sensitivity of the skin.				
Other Health Effects:	Skin irritation may be aggravated in persons with existing skin lesions. Breathing of dust may				
	Aggravate acute or chronic asthma and other pulmonary diseases.				
LD 50 of Material (Spe	cify Species and Routes) 4090 mg/kg, Oral (Rat), >2000 mg/kg,				
LC 50 of Material (Specify Species and Routes) 2.3 mg/l, Inhalation, 2 h (Rat)					
Exposure (Limits:	Not available				
Irritancy of Material	Skin, eyes, nose and throat irritant.				
Sensitization of Materi	ial None known				
Synergistic Materials	None known				
Carcinogenicity, Mutagenicity, Reproductive Effects, Teratogenicity: None known					

### **SECTION 12**

#### **ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Daphnia Magnia LC50, 96hr: 265-565mg/l Blue Gill Sunfish LC50, 96hr: 300-320mg/l Daphnia Magnia EC50, 48hr: 1200mg/l

Environmental Fate				
Biodegradability:	Not applicable			
Bioaccumulative Potentia	al: Not available			
Mobility In Soil:	Considerable solubility and mobility. Soil/sediments.			
SECTION 13	DISPOSAL CONSIDERATIONS			
Deactivating Chemicals:	Neutralize with a weak acid to a pH of 6 to 9.			
Waste Disposal:	Dispose absorbed material at an approved landfill site in accordance with Federal, Provincial			
	and local regulations.			
Safe Handling of Residues: See above				
Disposal of Packaging:	Dispose absorbed material at an approved landfill site in accordance with Federal, Provincial			
	and local regulations.			

#### SECTION 14

#### TRANSPORTATION INFORMATION

CANADIAN TDG ACT SHIPPING DESCRIPTION: Not Regulated

US DOT CLASSIFICATION (49CFR 172.101, 172.102): Not Regulated

#### **SECTION 15**

#### **REGULATORY INFORMATION**

WHMIS: D2B,

**HPR COMPLIANCE:** This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

SECTION 16	OTHER INFORMATION		
Prepared By (Group, Department, Etc.):	Quality Control	Telephone:	(905) 332-6626
Preparation Date:	May 5, 2016		
Date Revised:	December 1, 2020		
Additional Notes Or References:			

While Capo Industries Ltd. believes that the data contained herein are factual and the opinions expressed are those of qualified experts regarding the results of the tests conducted, the data are not to be taken as a warranty or representation for which Capo Industries Ltd. assumes legal responsibility. They are offered solely for your consideration and verification. Any use of this data and information must be determined by the user to be in accordance with applicable Federal, Provincial and local laws and regulations.